# HOSPITALLIUM

HOSPITAL FURNITURE

## Product Catalogue

innovative, technology cal medical products.

www.hospitallium.com

## DENTCLASS PLUS HOLDER DENTAL UNIT

### **Ergonomic**

- Sitting and working area with 45 cm descent of the seat
- Large instrument table for the doctor to work comfortably
- Pneumatic brake system that provides the convenience of working for the dentist
- Ergonomic headrest suitable for use with double hinged pedo

### Safe and Practical Operation

- "Close attention" designed backrest that makes it easier for the doctor to approach the patient.
- Safety switch enabling automatic stop for emergencies
- Seat mounted, pneumatic system, 90 degrees rotatable ceramic cuspidor
- A single foot pedal that controls the speed of the heads and the movements of the seat

### Free Movement Capability

- Ergonomic seat with electromechanical system, 4 programs including LP and 0 positions, capable of having trandelenburg
- Synchronized movement of the backrest and footrest that does not disturb the patient
- Shock absorber system supporting 24 V DC motors

### **Assistant Control Panel**

• Assistant control panel where the unit and seat movements with five outputs can be controlled

#### Wide Doctor Table

• Large instrument table designed for the dentist to work comfortably

#### Reflector

• Two-stage illumination with cold light close to natural daylight with or without sensor

#### Cuspidor

• Seat mounted, pneumatic system, 90 degree rotatable cuspidor with ceramic bowl. Timed and autoclavable cup filler and bowl washer

#### **Foot Pedal**

· Foot pedal that controls the speed of the headboards and the movements of the seat

### **Ergonomic Headrest**

Ergonomic headrest suitable for use with double hinged pedo



Website

**&** +90 542 117 52 07















## DENTCLASS PLUS ROD DENTAL UNIT

### **Ergonomic**

- Sitting and working area with 45 cm descent of the seat
- Large instrument table for the doctor to work comfortably
- Pneumatic brake system that provides the convenience of working for the dentist
- Ergonomic headrest suitable for use with double hinged pedo

### **Safe and Practical Operation**

- "Close attention" designed backrest that makes it easier for the doctor to approach the patient.
- Safety switch enabling automatic stop for emergencies
- Seat mounted, pneumatic system, 90 degrees rotatable ceramic cuspidor
- A single foot pedal that controls the speed of the heads and the movements of the seat

### Free Movement Capability

- Ergonomic seat with electromechanical system, 4 programs including LP and 0 positions, capable of having trandelenburg position
- Synchronized movement of the backrest and footrest that does not disturb the patient
- Shock absorber system supporting 24 V DC motors

#### **Assistant Control Panel**

• Assistant control panel where the unit and seat movements with five outputs can be controlled

#### Wide Doctor Table

• Large instrument table designed for the dentist to work comfortably

#### Reflector

• Two-stage illumination with cold light close to natural daylight with or without sensor

#### Cuspido

• Seat mounted, pneumatic system, 90 degree rotatable cuspidor with ceramic bowl. Timed and autoclavable cup filler and bowl washer

#### **Foot Pedal**

• Foot pedal that controls the speed of the headboards and the movements of the seat

#### **Ergonomic Headrest**

• Ergonomic headrest suitable for use with double hinged pedo

















## DENTPASS ROD DENTAL UNIT

### Ergonomic

- Sitting and working area with 45 cm descent of the seat
- Large instrument table for the doctor to work comfortably
- Pneumatic brake system that provides the convenience of working for the dentist
- Ergonomic headrest suitable for use with double hinged pedo

### Safe and Practical Operation

- "Close attention" designed backrest that makes it easier for the doctor to approach the patient.
- Safety switch enabling automatic stop for emergencies
- Seat mounted, pneumatic system, 90 degrees rotatable ceramic cuspidor
- A single foot pedal that controls the speed of the heads and the movements of the seat

### Free Movement Capability

- Ergonomic seat with electromechanical system, 4 programs including LP and 0 positions, capable of having trandelenburg position
- Synchronized movement of the backrest and footrest that does not disturb the patient
- Shock absorber system supporting 24 V DC motors

#### **Assistant Control Panel**

• Assistant control panel where the unit and seat movements with five outputs can be controlled

#### Wide Doctor Table

• Large instrument table designed for the dentist to work comfortably

#### Reflector

· Two-stage illumination with cold light close to natural daylight with or without sensor

#### Cuspidor

• Seat mounted, pneumatic system, 90 degree rotatable cuspidor with ceramic bowl. Timed and autoclavable cup filler and bowl washer

#### **Foot Pedal**

· Foot pedal that controls the speed of the headboards and the movements of the seat

### **Ergonomic Headrest**

Ergonomic headrest suitable for use with double hinged pedo













## DENTCLASS PLUS ROD DENTAL UNIT

## Ergonomic

- Sitting and working area with 45 cm descent of the seat
- Large instrument table for the doctor to work comfortably
- Pneumatic brake system that provides the convenience of working for the dentist
- Ergonomic headrest suitable for use with double hinged pedo

### **Safe and Practical Operation**

- "Close attention" designed backrest that makes it easier for the doctor to approach the patient.
- Safety switch enabling automatic stop for emergencies
- Seat mounted, pneumatic system, 90 degrees rotatable ceramic cuspidor
- A single foot pedal that controls the speed of the heads and the movements of the seat

### Free Movement Capability

- Ergonomic seat with electromechanical system, 4 programs including LP and 0 positions, capable of having trandelenburg position
- Synchronized movement of the backrest and footrest that does not disturb the patient
- Shock absorber system supporting 24 V DC motors

### **Assistant Control Panel**

• Assistant control panel where the unit and seat movements with five outputs can be controlled

#### **Wide Doctor Table**

• Large instrument table designed for the dentist to work comfortably

#### Reflector

• Two-stage illumination with cold light close to natural daylight with or without sensor

#### Cuspidor

• Seat mounted, pneumatic system, 90 degree rotatable cuspidor with ceramic bowl. Timed and autoclavable cup filler and bowl washer

#### **Foot Pedal**

• Foot pedal that controls the speed of the headboards and the movements of the seat

### **Ergonomic Headrest**

• Ergonomic headrest suitable for use with double hinged pedo





Website

**&** +90 542 117 52 07









## DENTPASS HOLDER DENTAL UNIT

### **Ergonomic**

- Sitting and working area with 45 cm descent of the seat
- Large instrument table for the doctor to work comfortably
- Pneumatic brake system that provides the convenience of working for the dentist
- Ergonomic headrest suitable for use with double hinged pedo

### **Safe and Practical Operation**

- "Close attention" designed backrest that makes it easier for the doctor to approach the patient.
- Safety switch enabling automatic stop for emergencies
- Seat mounted, pneumatic system, 90 degrees rotatable ceramic cuspidor
  - A single foot pedal that controls the speed of the heads and the movements of the seat

### Free Movement Capability

- Ergonomic seat with electromechanical system, 4 programs including LP and 0 positions, capable of having trandelenburg position
- Synchronized movement of the backrest and footrest that does not disturb the patient
- Shock absorber system supporting 24 V DC motors

#### **Assistant Control Panel**

• Assistant control panel where the unit and seat movements with five outputs can be controlled

#### **Wide Doctor Table**

• Large instrument table designed for the dentist to work comfortably

#### Reflector

· Two-stage illumination with cold light close to natural daylight with or without sensor

#### Cuspidor

• Seat mounted, pneumatic system, 90 degree rotatable cuspidor with ceramic bowl. Timed and autoclavable cup filler and bowl washer

#### **Foot Pedal**

· Foot pedal that controls the speed of the headboards and the movements of the seat

#### **Ergonomic Headrest**

• Ergonomic headrest suitable for use with double hinged pedo









**PRODUCT DIMENSIONS** 

(Width x Depth x Height) 500 x 500 x 850. (±50 mm)

- 1. Drawer 152mm (H)
- 2. Drawer 229mm (H)
- 3. Drawer 306mm (H)



**PRODUCT DIMENSIONS** 

(Width x Depth x Height) 500 x 500 x 850. (±50

- 1. Drawer 152mm (H)
- 2. Drawer 229mm (H)
- 3. Drawer 306mm (H)



CCM4

#### **PRODUCT DIMENSIONS**

(Width x Depth x Height) 500 x 500 x 850. (±50 mm)

- 1. Drawer 152mm (H)
- 2. Drawer 229mm (H)
- 3. Drawer 306mm (H)



CCM5

#### **PRODUCT DIMENSIONS**

 $(W \times D \times H) 500 \times 500 \times$ 850. (±50 mm) 5 Drawers 75mm (h) 2 Drawers 152mm (h)



CCM6

#### **PRODUCT DIMENSIONS**

 $(W \times D \times H) 500 \times 500 \times$ 850. (±50 mm) 1 Cover 691mm (h)



ССМ7

#### **PRODUCT DIMENSIONS**

 $(W \times D \times H) 500 \times 500 \times$ 850. (±50 mm)



CCM8

**PRODUCT DIMENSIONS** 

 $(W \times D \times H) 500 \times 500 \times$ 

850. (±50 mm)

1 Drawer 75mm (h)

1 Cover 614mm (h)



CCM9

### **PRODUCT DIMENSIONS**

 $(W \times D \times H) 500 \times 500 \times$ 850. (±50 mm) 2 Drawers 75mm (h) 1 Cover 614mm (h)





CCM11



CCM13



CCM14



CCM15



CCM16



CCM17

#### **PRODUCT DIMENSIONS PRODUCT DIMENSIONS**

(W x D x H) 500 x 500 x 850. (±50 mm)

### **PRODUCT DIMENSIONS**

 $(W \times D \times H) 500 \times 500 \times$ 850. (±50 mm) 1 Drawer 387mm (h)

1 Drawer 75mm (h) 1 Drawer 229mm (h)

## **PRODUCT DIMENSIONS**

(Width x Depth x Height) 500 x 500 x 850. (± 50mm)

### **PRODUCT DIMENSIONS**

(Width x Depth x Height) 735 x 735 x 860. (± 50mm)


## **PRODUCT DIMENSIONS**

(Width x Depth x Height) 735 x 735 x 860. (± 50mm)

## PRODUCT DIMENSIONS

 $(W \times D \times H) 500 \times 500 \times$ 850. (±50 mm)

## (Width x Depth x Height) 735 x 735 x 860. (± 50mm)



## For more information



C-7400 KEP BONNET CABINET

- ·Six Chamber
- ·Large Chamber that can be tipped forward
- · 4 adjustable ball joint feet
- Made of 304 quality stainless steel
- Three compartments on the cabinet where caps and bonnets can be placed
- The mouth parts of the eyes on the cabinet are folded 1800 degrees inward in order to prevent harm to the user.
- •External Dimensions: 40 x 65 x 155 cM



## C-7400 KEP BONNET CABINET

- · 3 adjustable shelves
- Lockable 2700 glass doors that can be opened
- .4mm thick tempered glass
- · 4 adjustable ball joint feet
- •External Dimensions: 40 x 90 x 180 cm



C-7500 MATERIAL WASHING SINK

- ·304 quality stainless steel
- 1 shelf to put materials under the table
- Adjustable 4pcs rotile table leg.
- External Dimensions: 61 x 138 x 152h cm



## C-7510 MEDICAL WASTE BUCKET

- ·304 quality stainless steel
- ·Movable waste bucket
- Carry on bucket and lid with handle
- The waste bucket has a three-wheeled stand with a bump bumper that surrounds the bucket from the outside.
- Carrying Capacity is 36 Liters,
- •External Dimensions: 52 x 52x 45 cm



C-7520 HYDRAULIC MAYO TABLE

- ·304 quality stainless steel
- Lockable wheels (2 with brake 1 without brake)
- ·Rotatable upper platform
- ·Hydraulic height adjustment
- External Dimensions: 50 x 80 cm
- ·Height: 85 124 cm



## C-7521 WHEELED DISASSEMBLED RACK

- ·304 Grade stainless steel
- · 4 pieces of wire rack
- ·Adjustable shelf December
- ·Lockable casters
- Optional Fixed Leg (Optional)

•External Dimensions: 61 x 136 x 161h cm



C-7530 BINARY ESCOBA

- ·304 quality stainless steel
- Steps are designed for operating room and arrangements.
- All of the steps are made of anti-slip, stainless material.
- .The feet of the steps are made of seamless stainless profile.

•External Dimensions: 59 x 50 x 40 cm



C-7540 SINGLE ESCOBA

- ·304 quality stainless steel
- Steps are designed for operating rooms and intervention rooms.
- All of the steps are made of anti-slip, stainless material.
- Basmaks carrier legs are made of seamless stainless profile.
- External Dimensions: 35 x 55 x 20 cm



C-8260 STAINLESS HAND WASH SINK



C-8250 STAINLESS HAND WASH SINK



C-8130 STAINLESS WARDROBE



C-8140 STAINLESS MEDICINE CABINET

For more information

Website

& +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)



## Patient Transfer And Blood Letting Stretchers



## C-6000 HYDRAULIC EMERGENCY STRETCHER

- • Hydraulic height adjustment
- • Back part is adjusted with shock absorber
- Trendelenburg shock absorber controlled
- Reverse trendelenburg damper control
- Easy to clean, compact laminate mattress platform
- •Antimicrobial, heat proof, flame resistant and air permeable mattress
- •Foldable guardrails
- Lockable and removable ergonomic push bars
- Serum hanger slots
- Lockable wheels
- Height-adjustable, stainless steel serum hanger
- •Back Angle: 0°-70°
- •Reverse trendelenburg Angle: 0°-16°
- •Trendelenburg Angle: 0°-16°
- • External Dimensions: 72 x 213 cm
- Mattress Dimensions: 60 x 190 cm
- • Height Adjustment (without mattress): 53 x 81 cm

### **OPTIONAL ACCESSORIES**

- Safety belt
- Oxygen tube carrier
- Paper towel rack Central lock wheel

## For more information

## **&** +90 542 117 52 07

### Website





## C-5000 PEDIATRIC HOSPITAL BED

- 1 ADJUSTABLE BASIC PEDIATRIC BED
- Outer Dimension: Width 840 mm, Length 1500 mm Height: 1020 mm
- •Bed Surface Dimension: Width 700 mm, Length 1400 mm, Height 520 mm
- Standard Weight Capacity: 150 kg
- •Two Separately Lockable Wheels: 125 mm
- • Ergonomic Dining Table 400 mm x 800 mm
- • Hydraulic Adjustable Dining Table Height: Min. 670mm, Max. 1070mm
- •360 ° Rotation Polymer Twin Wheels: 50 mm / Both Single Lockable



C-1000 HOSPITAL BED

- ·Fowler Manual Bed
- •70° Backrest Adjustment
- Metal Bed Surface
- Patented Foldable Side Rails
- •Four Corner Bumper
- Cross-Lockable Wheels
- •Epoxy Powder Coating Main Structure
- •Outer Dimension: Width 1050 mm, Length 2145 mm
- •Bed Surface Dimension: Width 900 mm, Length 1900
- mm
- •Cross Lockable Wheels: 125 mm
- ·Standard Weight Capacity: 210 kg



## C-1020 HOSPITAL BED

- ·Semi-Fowler Manual Bed
- •70° Backrest Adjustment
- •45 ° Kneerest Adjustment
- •16° Trendelenburg with Gas Spring Mechanism
- ABS Bed Surface
- Height Adjustable Serum Hanger
- Manual Footrest Adjustment
- Metal Bed Surface
- Four Corner Bumper
- Cross-Lockable Wheels
- Aluminum Foldable Side Rails
- Polypropylene Head and Foot Panels
- Epoxy Powder Coating Main Structure
- •Outer Dimension: Width 1050 mm, Length: 214.5 cm
- ·Height: 50 cm
- •Bed Surface Dimension: Width 90 cm, Length 190 cm
- •Cross Lockable Wheels: 12.5 cm
- Standard Weight Capacity: 210 kg

For more information



C-1021 HOSPITAL BED

### **3 SET MANUAL BED**

- ·Semi-Fowler Manual Bed
- •70° Backrest Adjustment
- •45 ° Kneerest Adjustment
- Manual Footrest Adjustment
- Metal Bed Surface
- •Four Corner Bumper
- Cross-Lockable Wheels
- Aluminum Foldable Side Rails
- Polypropylene Head and Foot Panels
- •Epoxy Powder Coating Main Structure
- •Outer Dimension: Width 1050 mm, Length: 214.5 cm
- ·Height: 50 cm
- •Bed Surface Dimension: Width 90 cm, Length 190 cm
- •Cross Lockable Wheels: 12.5 cm
- Standard Weight Capacity: 210 kg



C-1022 HOSPITAL BED

### 3 Adjustable Manual Bed with ABS Bed Surface

- •70° Backrest Adjustment
- •45 ° Kneerest Adjustment
- ·ABS Bed Surface
- •Aluminum Foldable Side Rail
- Manual Footrest Adjustment
- Polypropylene Head and Foot Boards
- Four Corner Bumper
- Cross-Lockable Wheels
- •Outer Dimension: Width 1050 mm, Length 2145 mm
- ·Height: 500 mm
- •Bed Surface Dimension: Width 900 mm, Length 1900

mm

- •Cross Lockable Wheels: 125 mm
- ·Standard Weight Capacity: 210 kg

For more information



C-1023 HOSPITAL BED

- **4 ADJUSTABLE MANUAL BED WITH TRENDELENBURG**
- •70° Backrest Adjustment
- •45° Kneerest Adjustment
- •16° Manual Trendelenburg
- Manual Footrest Adjustment
- ABS Bed Surface
- Aluminum Foldable Side Rails
- ·Cross Lockable Wheels
- Polypropylene Head and Foot Panels
- •Epoxy Powder Paint Main Structure
- •Outer Dimension: Width 1050 mm, Length 2145 mm
- ·Height: 500 mm
- •Bed Surface Dimension: Width 900 mm, Length 1900 mm
- VCross Lockable Casters: 125 mmStandard Weight Capacity: 210 kg



C-1024 HOSPITAL BED

#### **3 ADJUSTABLE FOLDING LEGS MANUAL BED**

- •Three Adjustable Manual Bed with Foldable Legs
- •70° Backrest Adjustment
- •45° Kneerest Adjustment
- Manual Footrest Adjustment
- •Foldable Legs
- Aluminum Foldable Side Rails
- Metal Bed Surface
- Polypropylene Head and Foot Panels
- Cross Lockable Wheels
- •Epoxy Powder Paint Main Structure
- •Outer Dimension: Width 1050 mm, Length 2145 mm
- ·Height: 500 mm
- •Bed Surface Dimension: Width 900 mm, Length 1900 mm
- ·Standard Weight Capacity: 210 kg
- •Two Separately Lockable Casters: 125 mm

For more information



C-1030 HOSPITAL BED

#### MANUAL BED WITH FOUR ADJUSTMENTS

- •70° Backrest Adjustment
- •45 ° Kneerest Adjustment
- •Manually Operated Height Adjustment
- Manual Footrest Adjustment
- Metal Bed Surface
- Aluminum Foldable Side Rails
- Polypropylene Head and Foot Boards
- Cross-Lockable Wheels
- •Epoxy Powder Coating Main Structure
- •Outer Dimension: Width 1080 mm, Length 2145 mm
- •Bed Surface Dimension: Width 900 mm, Length 1900
- mm
- ·Height: Min. 460mm, Max. 800mm
- Standard Weight Capacity: 210 kg
- •Two Separately Lockable Wheels: 125 mm



C-2000 HOSPITAL BED

### **2 MOTORS ELECTRONIC BED**

- •2 Motorized Electronic Bed
- Wireless Hand Control Unit
- •70° Backrest Adjustment
- •30° Kneerest Adjustment
- Cross-Lockable Wheels
- Polypropylene Side Rails
- Polypropylene Bed Heads
- Height Adjustable IV Stand
- Four Corner Bumper
- •Bed Surface Dimension: Width 90 cm, Length 190 cm
- •Height: 50 cm (Up to Bed Platform)
- •Outer Dimension: Width 108 cm,
- •Length: 214.5 cm
- ·Standard Weight Capacity: 210 kg
- Cross Lockable Wheels: 12.5 cm

For more information

Website

**&** +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)





C-3000 HOSPITAL BED

#### **3 MOTORS HOSPITAL BED**

- •3 motors
- ·Electronic head, foot, height adjustments
- Fowler, Vascular positions
- ·Auto-contour
- ·Hand control remote
- Back adjustment angle indicator
- Back and foot slide system
- Lockable and removable PP head and foot panels
- •4 compartments, removable hair mattress platform
- •Outer Dimension: 1080 × 2200 mm
- •Bed Platform: 900 × 2000 mm
- •Height (Without Mattress): 380-780 mm
- •Back-Rest Angle: 0-75°
- •Knee Rest Angle: 0-45°
- •Footrest Angle: 0-30 °
- •Trendelenburg / Reverse Trendelenburg: + 16 °
- ·Wheel Diameter: Ø125 mm
- ·Safe Working Load Capacity: 230kg
- Liquid Ingress Protection: IPx66
- •Power: 220V ~ 50/60 Hz
- •Electric Shock Protection: Class I, Type B

#### For more information

(WHATSAPP, VIBER, TELEGRAM)

### Website

**&** +90 542 117 52 07





### C-4000 HOSPITAL BED

### **4 MOTORS ELECTRONIC BED**

- •Easy to Use and Fully Featured Bed
- ·Low Height (38 cm)
- •Backrest, Leg Rest, Height Adjustment, Trendelenburg and Reverse Trendelenburg Movements
- •Automatic Tension Backrest System (11 cm) to Increase Patient
- •Polypropylene Side Rails and Headboards
- Angle Indicators on Side Rails

**Comfort During Back Adjustment** 

- •HDPL Anti-Bacterial Tread Platform for X-Ray and X-Ray
- •X-Ray Cassette Holder
- Other Parts of the Bed Platform are Antibacterial
- ABS Plastic (Removable)
- ·Handheld Remote Control Panel
- Nurse Control Panel
- Epoxy Coated Metal Frame
- •Patented Side Rail Mechanism
- Central Lockable Casters
- Protective Plastic Corner Bumpers
- Drain Bag Hooks on Both Sides
- ·Height Adjustable IV Stand
- •Foot Section Adjustment with Semi-Automatic Shelves
- Backup battery
- ·Manual CPR



### C-4010 HOSPITAL BED

- **4 MOTORS ELECTRONIC BED**
- •Easy to Use and Fully Featured Bed
- •Low Height (38 cm)
- •Back, Leg support, Height Adjustment, Trendelenburg and

**Reverse Trendelenburg Movements** 

•Automatic Tension Backrest System (11 cm) to Increase

Patient Comfort During Back Adjustment

- Polypropylene Side Rails and Headboards
- Angle Indicators on Side Rails
- ·Hand Remote Control Panel
- Epoxy Coated Metal Frame
- Patented Side Rail Mechanism
- ·Cross-Lockable Wheels
- ·Height Adjustable IV Stand
- •Foot Section Adjustment with Semi-Automatic Shelves
- •Outer Dimension: 108 × 220 cm
- •Bed Platform: 90 × 200 cm
- ·Height (Without Mattress): 38-78 cm
- •Back-Rest Angle: 0-75°
- •Knee Rest Angle: 0-45°
- •Footrest Angle: 0-30 °
- •Trendelenburg / Reverse Trendelenburg: + 16 °
- •Wheel Diameter: Ø12.5 cm
- Safe Working Load Capacity: 230kg
- •Power: 220V ~ 50/60 Hz
- ·Electric Shock Protection: Class I, Type B

### For more information

\$\&\ +90 542 117 52 07
\$(\text{WHATSAPP, VIBER, TELEGRAM})\$

## wepsite

## Website

www, hospitallium.com



## C-4020 4 MOTORS ECO BEDS 8 SEGMENTS

- **4 MOTORS ELECTRONIC BED**
- •Easy to Use and Fully Featured Bed
- ·Low Height (38 cm)
- •Back, Leg support, Height Adjustment, Trendelenburg and

**Reverse Trendelenburg Movements** 

Automatic Tension Backrest System (11 cm) to Increase

**Patient Comfort During Back Adjustment** 

- •Polypropylene Side Rails and Headboards
- Angle Indicators on Side Rails
- ·Hand Remote Control Panel
- •Epoxy Coated Metal Frame
- •Patented Side Rail Mechanism
- ·Cross-Lockable Wheels
- ·Height Adjustable IV Stand
- •Foot Section Adjustment with Semi-Automatic Shelves
- •Outer Dimension: 108 × 220 cm
- •Bed Platform: 90 × 200 cm
- •Height (Without Mattress): 38-78 cm
- •Back-Rest Angle: 0-75°
- •Knee Rest Angle: 0-45°
- •Footrest Angle: 0-30 °
- •Trendelenburg / Reverse Trendelenburg: + 16 °
- ·Wheel Diameter: Ø12.5 cm
- ·Safe Working Load Capacity: 230kg
- •Power: 220V ~ 50/60 Hz
- •Electric Shock Protection: Class I, Type B



### C-4030 4 MOTORS PEDIATRIC BEDS

- **4 MOTORS ELECTRONIC BED**
- ·Easy to Use and Fully Featured Bed
- ·Low Height (38 cm)
- Back, Leg support, Height Adjustment, Trendelenburg and

**Reverse Trendelenburg Movements** 

·Automatic Tension Backrest System (11 cm) to Increase


**Patient Comfort During Back Adjustment** 

- •Polypropylene Side Rails and Headboards
- Angle Indicators on Side Rails
- ·Hand Remote Control Panel
- Epoxy Coated Metal Frame
- Patented Side Rail Mechanism
- ·Cross-Lockable Wheels
- ·Height Adjustable IV Stand
- •Foot Section Adjustment with Semi-Automatic Shelves
- •Outer Dimension: 108 × 220 cm
- •Bed Platform: 90 × 200 cm
- ·Height (Without Mattress): 38-78 cm
- Back-Rest Angle: 0-75°
- •Knee Rest Angle: 0-45°
- •Footrest Angle: 0-30 °
- •Trendelenburg / Reverse Trendelenburg: + 16 °
- ·Wheel Diameter: Ø12.5 cm
- Safe Working Load Capacity: 230kg
- •Power: 220V ~ 50/60 Hz
- •Electric Shock Protection: Class I, Type B

#### For more information

For more imprination

**6** +90 542 117 52 07



#### Website



### C-6010 GYNECOLOGY BED 3 MOTORS

Motors with min IPX4 protection for quiet running

- Hand control Nurse panel with function locking feature
- Electronically back, foot, height and trendelenburg movement
- Side rails made of polypropylene (PP) material and detachable head and foot panels
- Seat and foot extension made of ABS material
- 360° rotating central locking wheels (150 mm)
- Plastic protective crash bumpers
- Accessory rail and accessory slots for accessory connections
- Urine bag hanger
- Height-adjustable IV pole
- Electrostatic powder coated metal parts
- Angle indicator on guardrails
- Waste bowl
- Strain bar
- Battery
- 2-piece ABS plastic coated sub-chassis
- 28 density 3-piece mattress



C-7000 BEDSIDE CABINET

- ·Laminate Coated MDF Surface
- •Not sealed with PVC Tape
- • Ergonomic Arms
- •One Chest of Drawers, One Large Closet
- •In-cabinet Shelf
- •Width: 450 mm
- •Depth: 460 mm
- •Height: 800 mm
- • Cross-Lockable Twin Wheels: 75 mm



## C-7010 BEDSIDE CABINET

- • The Main Construction is Aluminum Sigma Profile
- Compact Laminate Strong Panels
- •Top Drawer
- Lateral Open Dec Between Drawers
- •Large Bottom Drawer
- Ergonomic Arms
- •Width: 450 mm
- •Depth: 500 mm
- •Height: 865 mm
- • Cross Lockable Twin Wheels: 50 mm



C-7015 BED SIDE CABINET



C-7020 CABINET WITH BED TABLE

- ·Laminate Coated MDF Surface
- Not sealed with PVC Tape
- • Ergonomic Arms
- •One Chest of Drawers, One Large Closet
- •In-cabinet Shelf
- •Width: 450 mm
- •Depth: 460 mm
- ·Height: 800 mm
- • Cross-Lockable Twin Wheels: 75 mm



C-7050 TWO DOORS PATIENT ROOM CABINET

- • MDF Side Sheets and Doors
- •Steel Connection Bracket
- • A Fixed Shelf at the Bottom
- •Aluminum Strong Stand with Plastic Cover
- •Width: 900 mm
- •Depth: 450 mm
- •Height: 1800 mm



C-7051 SINGLE DOOR PATIENT ROOM CABINET

- • MDF Side Sheets and Doors
- •Steel Connection Bracket
- • A Fixed Shelf at the Bottom
- • Aluminum Strong Legs with Plastic Cover
- •Width: 450 mm
- •Depth: 450 mm
- •Height: 1800 mm



C-7300 MDF BED TABLE WITH MANUAL HEİGHT ADJUSTMENT

- • Aluminum Bars That Prevent Slipping, Such As a Food Tray
- •Compact Laminate Dining Surface that is Heat Resistant and Easy to Clean
- • Epoxy Powder Coating Main Structure
- •Ideal Dining Table Size: 400 mm, Length 800 mm
- • Pneumatic Height Adjustment: Min. 840 mm, Max. 1080 mm
- •360° Rotating Polymer Twin Wheels: 50 mm



## C-7310 POLYPROPYLENE BED TABLE

- • Aluminum Bars That Prevent Slipping, Such As a Food Tray
- Compact Laminate Dining Surface that is Heat Resistant and Easy to Clean
- • Epoxy Powder Coating Main Structure
- •Ideal Dining Table Size: 400 mm, Length 800 mm
- Pneumatic Height Adjustment: Min. 840 mm, Max. 1080 mm
- •360° Rotating Polymer Twin Wheels: 50 mm

For more information



C-7630 FOLDING SCREEN

- • 3 compartments
- •Compartments are made of high quality cotton fabric
- •There is a plastic shoe at the legs of the middle wing, and the side wings are wheeled.
- •The middle part of the screen is fixed and the wings on the edge are movable, it can be folded when necessary
- • Electrostatic powder coated metal body
- • External Dimensions: 42 x 225 cm
- •Height: 160 cm



C-7650 FOLDING EXAMINATION TABLE

- •Synthetic leather covered lying surface
- Adjustable bedside
- •Foldable legs
- Paper roll hanger
- Plastic plug foot ends
- • External Dimensions: 65 x 190 cm
- •Height: 78 cm



C-7680 WOODEN EXAMINATION TABLE



C-7750 COMPANION SEAT

- •Technical Specifications = Sponge
- •The sponge we use in our companion seats is 32 dns gray hard or gray soft sponge depending on customer request. On the sleeves, he uses 3 cm gray hard sponge or 2 cm bondex sponge.
- •Frame: Iron profiles of 1.2 mm wall thickness, 20×20 mm, 20×30 mm, 20x 40 mm, 20×50 mm dimensions are used in our companion seats. In the box arms and lath reinforcements, high efficiency was obtained as a skeleton by using kiln-dried hornbeam wood.
- • Fabric: Completely mass-produced fabrics and leathers are used as upholstery fabric and leather in our companion seats. On the subject of fabric, we choose among the products of the company that we have used and liked for years. In addition, the fact that our fabrics are easy to clean, resistant to abrasion and impacts is another issue we pay attention to.
- ·Seating Width: 70 cm
- •Bed length: 185 cm
- •Height:80cm
- Total Width:95 cm

For more information

**&** +90 542 117 52 07



www\_ hospitallium.com



C-7700 TRIPLE WAITING CHAIR

- • Electrostatic powder coated metal body
- •Synthetic leather covered seating and recline surface
- •Round pipe foot part
- •Adjustable special pingos to provide balance under the legs
- •Height: 43 cm
- •External Dimensions: 63 x 157 x 80 cm



C-7710 BINARY WAITING CHAIR

- • Electrostatic powder coated metal body
- •Synthetic leather covered seating and recline surface
- •Round pipe foot part
- •Adjustable special pingos to provide balance under the legs
- •Sitting Height: 78 cm
- •External Dimensions: 63 x 105 x 80 cm



C-7730 BINARY WAITING CHAIR

- • Electrostatic powder coated metal body
- •Synthetic leather covered seating and recline surface
- •External Dimensions: 63 x 105 x 80 cm
- •Sitting Height: 78 cm
- •Adjustable special pingos to provide balance under the legs



C-7640 OXYGEN TUBE TRANSPORT TROLLEY

- • Electrostatic powder coated metal body
- •Round pipe metal parts
- •Two-Wheel Drive
- • Car carrier push handle
- • Chain apron for safe transportation of the tube.
- • 10 Liter Tube carrying capacity
- External Dimensions : 28 x 31 cm



C-8010 - 4 MOTORS HAEMODIALYSIS AND CHEMOTERAPHY CHAIR

- - Bettle dialysis chair is so adequate for the positioning of % 40 less than the
- standard dialysis chairs.
- - There are 3 parts as seat, back and foot.
- Back, foot and lowering-uppering height adjustment are done by 4 pieces of DC
- motors and the desired position is provided.
- Mattress is made by viscoelastic foam and is designed to take the shape of patients
- body when the seating for long time required to provide distruting the pressure on.
- Head, back, seat, foot and arm parts of the upholstery can be taken down and put
- on easily to clean.
- The arms consist of 2 parts, the elbow parts which are fixed while the front parts
- are able to move to the left right, up down within 3 steps according to the patient
- position during the dialyzing process. The arms, related to the back angle, can move
- without disturbing their parallel to the ground.
- There is a foot rest in foot part of the chair as taking down-putting on the type to
- prevent the cramps of the patients during the dialysis procedure.
- - The chair has diagonal brake system, designed to be locked when needed.
- The height of the chair head can be adjusted to the position of the patient and it
- can be removable.
- The steel construction is protected due to corrosion damage with the galvanize
- covering and electostatic powder paint and is covered by antibacterial, easy cleaning

feature ABS plastics

For more information

Website

\$\&\ +90 542 117 52 07



C-8020 - BLOOD LETTING CHAIR



C-8025 - BLOOD LETTING CHAIR



C-8030 - MANUEL GYNECOLOGY EXAMINATION CHAIR



C-8070 - EMERGENCY TROLLEY



C-8080 - EMERGENCY TROLLEY

- • ABS material Drawers with Central Lock System
- Push Handle Telescopic Drug Preparation
   Table
- •Four castors with two Brakes
- •Waste bin
- •Adjustable Drawer dividers
- Transparent Removable Drug Compartments 70x50x90 cm



C-8090 - PATIENT BEDSIDE NIGHTSTAND



C-8100 - PATIENT BEDSIDE NIGHTSTAND



C-8150 - SINGLE ESKOBA



C-8160 - DOUBLE ESKOBA



C-8170 - DEVICE TROLLEY



C-8180 - DEVICE TROLLEY



C-8190 - DEVICE TROLLEY



C-8200 - DEVICE TROLLEY



C-8210 - DRESSING TROLLEY



C-8220 - DRESSING TROLLEY



C-8230 - DEVICE TROLLEY



C-8240 - DRESSING TROLLEY

# Hospital Equipments





C-8290 - WAITING SEAT

C-8300 - WAITING SEAT

- Inner parts are polyurethane cast sponge.
- • Wood parts are 30mm thick, melamine material in different colors.
- •Foot parts are chrome plated on metal or static oven painted in desired colors.
- • Faux leather or fabric upholstery.

# Hospital Equipments



C-8050 - SPINE BOARD (WOOD)

C-8060 - SPINE BOARD (PLASTIC)

Website

# Hospital Equipments



C-7600 - SINGLE NEGATOSCOPE

• External Dimensions: 2.5 x 56 x 49 cm



C-7610 - DOUBLE NEGATOSCOPE

• External Dimensions: 2.5 x 56 x 89 cm



C-7620 - TRIPLE NEGATOSCOPE

• External Dimensions: 2.5 x 56 x 120 cm



C-6020 GYNECOLOGY BED MANUEL HYDRAULIC



C-6040 HYDRAULIC MANUEL BEDS



C-6030 HYDRAULIC MANUEL BEDS



C-6070 4 MOTORS ECO BEDS



C-6080 HYDRAULIC MANUEL BEDS



C-6100 WOODEN 2 MOTORS BEDS



C-6090 WOODEN 2 MOTORS BEDS



C-6110 STRETCHER

For more information

\$\&\ +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)

www\_ hospitallium.com

Website



C-7660 WOODEN EXAMINATION BED



C-7690 EXAMINATION BED



C-7670 WOODEN EXAMINATION BED



C-8040 AMBULANCE STRETCHER

For more information

\$\&\ +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)

Website


www. hospitallium.com



C-8270 BABY COTS



C-8280 PEDIATRIC BED



C-6050 GYNECOLOGY EXAMINATION TABLE


### For more information


### Website

\$\&\ +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)









### DENTPOL DENTAL POLISHING MACHINE

Painted with electrostatic powder paint.

Raf colors are available.

Telescopic rail ashtray

Anti-rust iron phosphate coating led lighting

Double-sided vacuum outlet


**PRODUCT DIMENSIONS** 


500 x 500 x 680. (±50 mm)


For more information

Website

& +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)







DENTSAND DENTAL SANDBLASTER

**FEATURES** 


Power supply: 220V 50Hz

Manufactured from 1-2 mm stainless steel sheet metal


Painted with electrostatic powder paint.

Low air consumption Excel/ent air tightness LED illuminated cabinet














DENTVAC DENTAL VACUUM DEVICE

**FEATURES** 

Power supply: 220V-240V 50Hz

Suction Turbine Power: 1800W (230V)

Drawer system that does not require dust bags

Manufactured from 1-2 mm sheet metal

Painted with electrostatic powder paint




### LB-C DOUBLE DENTAL WORKBENCH

### **FPRODUCT DIMENSIONS:**

2050 mm x 650 mm x 850 mm (Y)

- 160 kg. weight.
- 220 V / AC 50 Hz. / Max. 1250 Watt.
- It is produced by 1 mm. thickness steel.
- Painted with electrostatic powder paint.
- Ral color options are available.
- Gas cock
- 30 mm shaped laminated with 3 mm PVC edge protection
- Air gun inlet
- Hand motor storage areas in the work area







### LB-C DOUBLE DENTAL WORKBENCH

### **FPRODUCT DIMENSIONS:**

### 2380mm x 1300mm x 850mm (H)

- Four vacuum technician table.
- 220 V /AC 50 Hz. / Max. 1250 Watts.
- 1 mm. it is made of thick steel.
- Painted with electrostatic powder paint.
- Ral color options are available.
- Gas tap
- 3 mm PVC edge protection
- 30 mm shaped laminated
- Air gun inlet
- Hand motor storage areas in the working area

For more information

**&** +90 542 117 52 07

Website

www. hospitallium.com







LB-Y DOUBLE DENTAL WORKBENCH (SINGLE VACUUM)

### **FPRODUCT DIMENSIONS:**

### 1750mm x 650mm x 850mm (H)

- Single vacuum technician desk.
- 220 V / AC 50 Hz. / Max. 1250 Watts.
- 1mm. It is made of thick steel.
- Painted with electrostatic powder paint.
- Ral color options are available.
- · Gas cock.
- 3 mm PVC edge guard
- 30 mm shaped laminate
- Air gun inlet
- · Hand motor in the work area
- Containment areas







### TDC1 TECHNICIAN DESK WITH CABIN

### **FPRODUCT DIMENSIONS:**

725 mm x 530 mm x 850 mm (Y) Working height 725 mm x 530 mm x 1350 mm (Y) Gabin height

- 220 V I AC 50 Hz. I Max. 1250 Watts.
- Manufactured from 1 mm stain/ess stee/ sheet metal Painted with
- electrostatic powder paint.
- Raf color options are available.
- Led lighting with 4mm Plexig/ass protection shield 13mm compact laminated bench
- Air gun inlet
- Hand motor storage areas in the work area





LB-R DENTAL SIMULATION WORKBENCH

### **FPRODUCT DIMENSIONS:**

900 mm x 600 mm x 900 mm (H)

- High and Low speed handpiece, suction and three-way syringe
- It is suitable for central water and air systems.
- Unit type lighting is used as the light source.
- It is made of steel sheet covered with electrostatic paint.
- Bench part is made of laminated.



### LB-S SINGLE DENTAL WORKBENCH

### **FPRODUCT DIMENSIONS:**

(Width x Depth x Height) 1050 mm x 650 mm x 850 mm (Y)

- 80 kg. weight.
- 220 V / AC 50 Hz. / Max. 1250 Watt.
- It is produced by 1 mm. thickness steel.
- Painted with electrostatic powder paint.
- Ral color options are available.
- Gas cock
- 30 mm shaped laminated with 3 mm PVC edge protection
- Air gun inlet
- Hand motor storage areas in the work area





#### CLINICAL BENCH WITH WALL MOUNTED MOBILE CABINET

#### **FEATURES**

- Manufactured from 1-1.5 mm steel sheet
- Painted with e/ectrostatic powder paint.
- Raf color options are available.
- Special design metal leg
- Slow closing mechanism (Blum)
- Anticorrosive iron phosphate coating

#### **OPTIONAL**

- Anti-bacterial plastic drawer organizer (ABS)
- Glass and Corian options tor the countertop

#### PRODUCT DIMENSIONS

(Width x Depth x Height) 500 x 2000 x 860 (± 50mm)





DF - R CLINICAL BENCH WITH MOBILE CABINET

#### **FEATURES**

- Manufactured from 0.90-1 mm steel Corian or laminat options for countertop sheet
- Painted with electrostatic powder
- Ral color options are available.
- Worktop 15 mm insulating glass
- Slow closing mechanism (Blum)
- Anticorrosive iron phosphate coating

#### OPTIONAL

- Anti-bacterial plastic drawer organizer (ABS)

#### PRODUCT DIMENSIONS

(Width x Depth x Height) 500 x 2000 x 860. (±50 mm)

**&** +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)







DT - S MOBILE CABINET CLINICAL BENCH

#### **FEATURES**

- Manufactured from 0.90-1 mm steel
- Painted with electrostatic powder paint.
- Ral color options are available.
- Worktop 15 mm insulating glass
- Slow closing mechanism (Blum)
- Anticorrosive iron phosphate coating



#### **OPTIONAL**

- Anti-bacterial plastic drawer organizer (ABS)
- Corian option for countertop

#### PRODUCT DIMENSIONS

(Width x Depth x Height) 500 x 2100 x 730. (± 50 mm)



DF - S CLINICAL BENCH

#### **FEATURES**

- Manufactured from 0.90-1 mm steel sheet
- Painted with electrostatic powder paint.
- · Ral color options are available.
- Worktop 15 mm insulating glass
- Slow closing mechanism (Blum)
- Anticorrosive iron phosphate coating

#### **OPTIONAL**

- Corian or laminat options for countertop
- Anti-bacterial plastic drawer organizer (ABS)

#### **PRODUCT DIMENSIONS**

(Width x Depth x Height) 500 x 2000 x 860. (±50 mm)









DX - R CLINICAL BENCH

#### **FEATURES**

- Manufactured from 0.90-1 mm steel sheet
- · Painted with electrostatic powder paint.
- Ral color options are available.
- Adjustable chrome plated legs
- Worktop 15 mm insulating glass
- Slow closing mechanism (Blum)
- · Anti-rust iron phosphate coating

#### **OPTIONAL**

- Anti-bacterial plastic drawer organizer (ABS)
- Corian option for countertop

#### **PRODUCT DIMENSIONS**

(Width x Depth x Height)) 500 x 2200 x 860. (±50 mm)

**Top Part: Glass** Sink : Glass





DF - R CLINICAL BENCH WITH MOBILE CABINET

#### **FEATURES**

- Manufactured from 0.90-1 mm stee
- Painted with e/ectrostatic powder paint.
- Raf co/or options are available.
- Adjustable p/astic /egs
- Slow closing mechanism (Blum)
- Anticorrosive iron phosphate coating **50mm**)

#### **OPTIONAL**

- Anti-bacterial plastic drawer organizer (ABS)
- Glass, Corian and laminate options tor the countertop.

#### **PRODUCT DIMENSIONS**

(Width x Depth x Height) 500 x 2000 x 860. (±


Countertop and Sink: Corian

For more information

**&** +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)



www\_ hospitallium.com





DX - M WALL MOUNTABLE PARTIAL CLINICAL BENCH

#### **FEATURES**

- Manufactured from 0.90-1 mm steel
- Painted with electrostatic powder paint.
- Ral color options are available.
- Slow closing mechanism (Blum)
- Anti-corrosion iron phosphate coating

### **OPTIONAL**

- Anti-bacterial plastic drawer organizer (ABS)
- Glass option for countertop

#### **PRODUCT DIMENSIONS**

(Width x Depth x Height) 500 x 1500 x 860. (±50 500 x 500 x 860. (±50 mm) **Top Part: Corian** Sink: Corian



DX - C WALL MOUNTABLE CLINICAL BENCH

#### **FEATURES**

- Manufactured from 0.90-1 mm steel sheet.
- Painted with electrostatic powder paint.
- Ral color options are available.
- · Adjustable chrome coated legs
- Slow closing mechanism (Blum)

#### **OPTIONAL**

- Anti-bacterial plastic drawer organizer (ABS)
- Glass option for counter top

#### **PRODUCT DIMENSIONS**

(Width x Depth x Height) 500 x 2000 x 860. (±50 mm) **Top Part: Corian** 

Sink : Corian





OP CABINET CLINICAL BENCH

#### **FEATURES**

- Manufactured from 1-1.5 mm steel sheet
- Painted with e/ectrostatic powder paint.
- Raf color options are available.
- Special design metal leg
- Slow closing mechanism (Blum)
- Anticorrosive iron phosphate coating
- Silent wheels with silicone coating

#### OPTIONAL

- Anti-bacterial plastic drawer organizer (ABS)
- Glass and Corian options for the countertop

#### PRODUCT DIMENSIONS

(Width x Depth x Height) 500 x 2000 x 835. (± 50mm)

Countertop and Sink: Glass and Corian

For more information

**&** +90 542 117 52 07

+90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)







#### SW STAINLESS STEEL SLIDING CABINET

#### **FEATURES**

- Consists of 4 drawers and 2 SLIDING door cabinets.
- Slow closing mechanism in the drawer (Blum)
- Manufactured from 1-1.2 mm stainless steel sheet metal



#### **PRODUCT DIMENSIONS**

(Width x Depth x Height) 500 x 500 x 850 (±50 mm)

- 1. Drawer 156mm (H)
- 2. Drawer 156mm (H)
- 3. Drawer 156mm (H)
- 4. Drawer 156mm (H




### TDC1 TECHNICIAN DESK WITH CABIN

#### **FEATURES**

- 220 V I AC 50 Hz. I Max. 1250 Watts.
- Manufactured from 1 mm stain/ess stee/ sheet metal Painted with electrostatic powder paint.
- Raf color options are available.
- Led lighting with 4mm Plexig/ass protection shield 13mm compact laminated bench
- Air gun inlet
- Hand motor storage areas in the work area

#### **PRODUCT DIMENSIONS**

725 mm x 530 mm x 850 mm (Y) Working height 725 mm x 530 mm x 1350 mm (Y) Gabin height







FS3 TWO DRAWERS PHYSIO BENCH

#### **FEATURES**

- Made of 1-4 mm sheet metal.
- Painted with electrostatic powder paint.
- Raf color options are available.
- Silent wheels, 1 drawer and 3 shelves
- Expandable top shelf
- Slow closing mechanism in the drawer (Blum)
- Anti-rust iron phosphate coating
- Serum hanger made of stainless steel
- Shaped laminate balloon bench

#### PRODUCT DIMENSIONS

(Width x Depth x Height) 450 x 400 x 900. (± 50 mm) 1 drawer 110 mm (H)

#### For more information

+90 542 117 52 07
(WHATSAPP, VIBER, TELEGRAM)

#### Website





SW STAINLESS STEEL SLIDING CABINET


#### **FEATURES**

- Made of 1-4 mm sheet metal.
- Painted with electrostatic powder paint. Raf color options are available.
- Silent wheels, 2 drawer and 3 shelves
- Slow closing mechanism in the drawer (Blum) Anti-rust iron phosphate coating
- Serum hanger made of stainless stee/ Shaped laminate balloon bench

#### PRODUCT DIMENSIONS

(Width x Depth x Height) 450 x 400 x 850. ( ± 50 mm) 2 drawer 96mm (H)
TERMS AND CONDITIONS OF DELIVERY





### FEATURES

- Made of 1-4 mm sheet metal.
- Painted with electrostatic powder paint. Raf co/or options are avai/ab /e.
- Si/ent wheels, 1 drawer and 3 shelves
- Slow closing mechanism in the drawer (Blum) Anti-rust iron phosphate coating
- Serum hanger made of stainless stee/

  www. hospitallium.com

  Shaped laminate balloon bench

### PRODUCT DIMENSIONS

(Width x Depth x Height) 450 x 400 x 850. (± 50 mm) 1 drawer 96mm (H)



ST-A DOCTOR AND ASSISTANT STOOL

The backrest moves back and forth and up and down.

Silicone wheel chair with aluminum star feet that can move up and down

## X-RAY CHAIR

### **ERGONOMIC**

- Seating area that can move up and down
- Worm gear system providing smooth transitions
- Double-link headrest
- Electronic control system
- Manually controllable
- Different color options
- 2 years warranty

### For more information

Website





#### HERCULE SILENT 150LT 8HP DENTAL COMPRESSOR

#### **FEATURES**

- Completely oil-free dry air dental compressor.
- supports 6-8 units.
- Has 8hp power with 4 2 hp engines.
- Very quiet and the sound level is only 68 db.
- Works without shaking and vibration.
- Produces 1120 Lt/min air at idle 740 Lt/min at a pressure of 5 bar.
- The tank capacity is 150 liters.

The pre-cooling system, which prevents condensation, operates with a mains voltage of 220v 50hz.

#### **PRODUCT DIMENSIONS**

(H x W x D) 85 x 140 x 52cm

(Weight: 140 kg

Warranty Period: 2 years
Production location: Turkey

### HERCULE SILENT 100LT 6HP DENTAL COMPRESSOR

#### **FEATURES**

- Completely oil-free dry air dental compressor.
- Supports 4-6 units.
- Has a power of 6 hp with 3 2 hp engines.
- Very quiet and the sound level is only 66 db.
- Works without shaking and vibration.
- Produces 555 Lt/min air at 5 bar pressure and 840 Lt/min idle.
- The tank capacity is 100 liters.
- Has thermal protection that prevents the engine from burning out.
- The pre-cooling system, which prevents condensation, operates with a mains voltage of 220v 50hz.

The compressor and all parts used on the compressor have CE certificate.

#### **PRODUCT DIMENSIONS**

(H x W x D) 85 x 110 x 52cm

Weight: 105 kg

Warranty Period : 2 years
Production location: turkey



HERCULE SILENT 60LT 4HP DENTAL COMPRESSOR

\$\&\ +90 542 117 52 07 (WHATSAPP, VIBER, TELEGRAM)

For more information

#### Website

www. hospitallium.com

#### **FEATURES**

- Completely oil-free dry air dental compressor.
- Supports 2 units.
- Has a power of 4 hp with 2 2 hp engines.
- Very quiet and the sound level is only 64 db.
- Works without shaking and vibration.
- At a pressure of 5 bar, 370 Lt/min produces 560 Lt/min at idle.
- The tank capacity is 60 liters.
- Has thermal protection that prevents the engine from burning out.
- The pre-cooling system, which prevents condensation, operates with a mains voltage of 220v 50hz.
- The compressor and all parts used on the compressor have CE certificate.

#### PRODUCT DIMENSIONS

(H x W x D) 85 x 73 x 52 cm

Weight: 70 kg

Warranty Period : 2 years
Production location: Turkey

### HYGIENE CABINET






### **FEATURES**

Manufactured from 1-1.5 mm Steel sheet
Painted with electrostatic powder paint.
Raf colors are available.
Slow opening and c/osing vertica/ lids
Anti-rust iron phosphate coating



(Width x Depth x Height) 2000 x 350 x 450 (± 50mm)





For more information

Website

\$\&\ +90 542 117 52 07



# HOSPITALLIUM

HOSPITAL FURNITURE



+90 542 117 52 07 (WhatsApp, Viber, Telegram)



export@hospitallium.com



www.hospitallium.com